





MT90 Orca II mobile computers



Features

Full touchscreen mobile computer.

The MT90 Orca II is an Android mobile computer that packs all of the latest hardware in a modern and user-friendly design. It is a light and durable device with a 5" capacitive touch screen. Equipped with a familiar user interface and the exterior of a consumer phone, the MT90 Orca II is easy to set up and use right out of the box.

Megapixel barcode scanning.

Developed for quick and efficient barcode scanning, the MT90 Orca II ensures maximum productivity. Its megapixel scan engine is built in at the top of the device and can be triggered with a virtual button on the screen or a physical button on the side of the device for easy point-and-shoot scanning.

Reliable all day use with a replaceable battery.

The MT90 Orca II has a 3.8V 4500 mAh battery that allows you to use the device all day without problem. Additionally, the battery is replaceable, allowing you to use a spare battery if needed.

Business-class durability.

The MT90 Orca II is built to withstand dusty environments and inevitable bumps and drops. It has a rating of IP65 and has been drop tested up to 1.5m, or 1.8m with a rubber boot, ensuring longer and more reliable use.

GMS (optional).

The MT90 Orca II has models with and without Google Mobile Services (GMS). GMS offers integrated Google applications such as Gmail, Google Maps and Google Play Store.

Accessories that match your operations.

A wide range of accessories for the MT90 Orca II are included in the package, namely: single slot charging & communication (USB) cradle, rubber boot, hand strap and wrist lanyard. Pistol grip, UHF pistol grip, long-range pistol grip and holsters are optional.





Application Scenarios















logistics

retail

warehousing

MT90 Orca II technical specifications

Performance	Operating System	Android 8.1, non GMS and GMS versions available
renormance	Processor	I.SGHz qual-core 64-bit
	Memory RAM	ZGB
	Memory Flash	lógB
	Memory Storage Expansion (Max.)	
	Image Sensor	CMOS 1280x800
	Illumination	White LED (625±10nm)
	Aiming	Unase diode
	Depth of Field EAN13 (13mil)	60-420mm
	Depth of Field CODE 39 (5mil)	102-205mm
	Depth of Field PDF417 (6.67mil) Depth of Field Data Matrix (10mil)	
	Depth of Field QR (15mil)	40-230mm
	Minimal Print Contrast	25%
	Scan Angle Roll	360°
	Field of View Horizontal	44° 49.5°
	Field of View Vertical	37°
	Scan Modes	Trigger Mode, Sense Mode
	Scan Rate	60 frames per second
Data capture	10	All mater 1D harrodes
	1D 2D	All major 1D barcodes
	20	QR Code, Data Matrix, Aztec, Micro PDF, Micro QR, PDF417, etc.
Physical	Dimensions (mm)	155(L) × 78.5(W) × 20.5(H)mm
	Weight	265g (including battery)
	Material	PC
	Display	5" (1280×720)
	Touch panel	Capacitive touch screen
	Keypad	lo keys (side keys included)
	Buttons	Side Keys Volume+, Volume-, Left Scan Key, Right Scan Key, Power Button, Function Key, Keypad(4 Keys)
	Interfaces	Micro USB
	Battery Type	aRV 4500mAh
		3.6V, HOOMAN
	Expected Battery Life Expected Charge Time	
	1 0	5 hours (charge via AC adapter)
	Notifications	Vibrator, speaker and multi-color LED
	Power Supply Input	DC5V,2A
	Power Supply Output	AC100~240V, 50~60Hz
	Audio	Microphone / speaker
	Audio Jack	3.5mm earphone
	Pogo Pin	4
	Expansion Slot	Micro SD card (max. 32GB)
	Camera	8 megapixels, auto focus, with LED flashlight
	SIM	Duel SIM: 1 SIM card, 1 Micro SIM Card
Environmental	Output in a Transmittant	
Environmental		-20°C to 55°C (-4°F to 131°F)
	Storage Temperature	-40°C to 70°C (-40°F to 158°F)
	Humidity	5% to 95% (non-condensing)
	Electro Static Discharge (ESD)	±15 kV (air discharge), ±8 kV (direct discharge)
	Drop	1.5m, 1.8m with rubber boot
	Sealing	IP65
Wireless	WLAN Radio	IEEE 802.11 a/b/g/n, 2.4GHz and 5GHz
	WPAN Radio	Bluetooth 4.1 LE, backward compatible
	RFID	13.56MHz RFID ISO14443A/B, MIFARE, FeliCa, NFC Forum Tags, ISO15693
	GPS	GPS (AGPS), GLONASS
	GF3	GP3 (AGP3), GLOINASS
Accessories	Optional	Charging Cradle, Pistol Grip, Long Range Pistol Grip, UHF Pistol Grip, Rubber Boot, Wrist Strap, Hand Strap, 3 Slot Cradle, 4 Slot Battery Charger, High
		Capacity Battery
	Standard	Battery, AC adapter, USB cable
Device	Software	Ndevor (MDM, Device Configuration), SOTI (MDM), Airwatch (MDM), StayLinked (TE)
Management	Sortware	ייעפיטר (יישאי, שפיוני כטוווקטו מנוטוו), או ישמנה (יישאי), או אמנה (יישאי), אין ארא אין אין אין אין אין אין איז
Certifications	Certifications	CE RED, FCCID, RoHS, IEC6247, Laser safety (Class II)
Warranty	Warranty	2 years
-		

Newland EMEA HQ +31 (0) 345 87 00 33 info@newland-id.com newland-id.com Feel free to contact us or a partner near you visit <u>newland-id.com/partners</u>

© Newland EMEA 2020, all rights reserved

